ELSEVIER

Biomembranes

Vol. 1283, 1996

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

Rapid report

Valinomycin acts as a channel in ultrathin lipid membranes
A. Gliozzi, M. Robello, L. Fittabile, A. Relini and A. Gambacorta (Italy) 1

Short sequence-papers

Characterisation of *vha*26, the *Drosophila* gene for a 26 kDa E-subunit of the vacuolar ATPase
Y. Guo, Z. Wang, A. Carter, K. Kaiser and J.A.T. Dow (UK) 4

Primary structure of human plasma membrane Ca^{2+}-ATPase isoform 3
B.J. Brown, H. Hilfiker, S.J. DeMarco, D.A. Zacharias, T.M. Greenwood, D. Guerini and E.E. Strehler (USA, Switzerland) 10

Regular papers

Adenosine diphosphate inhibits the serotonin transporter
G.M. Anderson, L.M. Hall, W.C. Horne and J.X. Yang (USA) 14

The effects of cholesterol inclusion on the vesicular membranes of cationic lipids
S. Bhattacharya and S. Haldar (India) 21

Role of proline residue in the channel-forming and catecholamine-releasing activities of the peptaibol, trichosporin-B-VIa
Y. Nagaoka, A. Iida, T. Kambara, K. Asami, E. Tachikawa and T. Fujita (Japan) 31

Fusion of liposomes due to transient and lasting perturbation induced by synthetic amphiphilic peptides
J. Zhao, S. Kimura and Y. Imanishi (Japan) 37

Cholesterol increases the thermal stability of the Ca^{2+}/Mg^{2+}-ATPase of cardiac microsomes
A. Ortega, J. Santiago-García, J. Mas-Oliva and J.R. Lepock (Canada, México) 45

Inactivation of ecto-ATPase activity of rat brain synaptosomes
F.J. Martín-Romero, E. García-Martín and C. Gutiérrez-Merino (Spain) 51

The interaction of the anti-cancer drug cisplatin with phospholipids is specific for negatively charged phospholipids and takes place at low chloride ion concentration
G. Speelmans, W.H.H.M. Sips, R.J.H. Grisel, R.W.H.M. Staffhorst, A.M.J. Fichtinger-Schepman, J. Reedijk and B. De Kruijff (The Netherlands) 60

The role of plasma membrane K^+ and Ca^{2+} permeabilities for glucose induction of slow Ca^{2+} oscillations in pancreatic β-cells
M. Eberhardson, A. Tengholm and E. Grapengiesser (Sweden) 67

Ethanol-enhanced permeation of phosphatidylcholine/phosphatidylethanolamine mixed liposomal membranes due to ethanol-induced lateral phase separation
H. Komatsu and S. Okada (Japan) 73

Modulation of the skeletal muscle ryanodine receptor by endogenous phosphorylation of 160/150-kDa proteins of the sarcoplasmic reticulum
I. Orr and V. Shoshan-Barmatz (Israel) 80

The identification of the phosphorylated 150/160-kDa proteins of sarcoplasmic reticulum, their kinase and their association with the ryanodine receptor
V. Shoshan-Barmatz, I. Orr, S. Weil, H. Meyer, M. Varsanyi and L.M.G. Heilmeyer (Israel, Germany) 89

The active transport of polypeptides in the rabbit nasal mucosa is supported by a specific vesicular transport inhibited by cytochalasin D
D. Cremaschi, C. Porta and R. Ghirardelli (Italy) 101

Symmetry and pH dependency of the lactate/proton carrier in skeletal muscle studied with rat sarcolemmal giant vesicles
C. Juel (Denmark) 106

Interdigitation of bilayers from ether lipid analogs: (*R*)-PAF, (*R*)-Lyso-PAF and the antineoplastic (*R*)-ET-18-OMe
X. Xie, S. Lin, J. Moring and A. Makriyannis (USA) 111

Enhancement of intestinal transport of thyrotropin-releasing hormone via a carrier-mediated transport system by chemical modification with lauric acid
K. Tanaka, T. Fujita, Y. Yamamoto, M. Murakami, A. Yamamoto and S. Muranishi (Japan) 119

Information for Contributors v

Regular papers

Non-random peroxidation of different classes of membrane phospholipids in live cells detected by metabolically integrated *cis*-parinaric acid
V.B. Ritov, S. Banni, J.C. Yalowich, B.W. Day, H.G. Claycamp, F.P. Corongiu and V.E. Kagan (USA, Italy) 127

Conformational disorder in unsaturated phospholipids by FTIR spectroscopy
N.-C. Chia and R. Mendelsohn (USA) 141

Phosphatidylethanol as a ^{13}C-NMR probe for reporting packing constraints in phospholipid membranes
A.V. Victorov, T.F. Taraschi and J.B. Hoek (USA) 151

Archaebacterial lipid models: stable liposomes from 1-alkyl-2-phytanyl-*sn*-glycero-3-phosphocholines
K. Yamauchi, K. Doi and M. Kinoshita (Japan) 163

Model of a sub-main transition in phospholipid bilayers
M. Nielsen, L. Miao, J.H. Ipsen, K. Jørgensen, M.J. Zuckermann and O.G. Mouritsen (Canada, Denmark) 170

Preparation and properties of sterically stabilized hexadecylphosphocholine (miltefosine)-liposomes and influence of this modification on macrophage activation
R. Zeisig, I. Eue, M. Kosch, I. Fichtner and D. Arndt (Germany) 177

Solubilization and reconstitution characteristics of the carrier protein(s) responsible for the transport of ceftibuten, a substrate for the oligopeptide transporters, in rat renal brush-border membrane
I. Naasani, T. Kikuchi, M. Sugawara, M. Kobayashi, K. Iseki and K. Miyazaki (Japan) 185

ATP increases Ca^{2+}-activated K^+ channel activity in isolated rat arterial smooth muscle cells
S.A. Hartley and R.Z. Kozlowski (UK) 192

A calorimetric study of binary mixtures of saturated and monounsaturated mixed-chain phosphatidylethanolamines
H.-n. Lin, S. Li, G. Wang, E.E. Brumbaugh and C. Huang (USA) 199

The interaction of cationic liposomes with the skin-associated bacterium *Staphylococcus epidermidis*: effects of ionic strength and temperature
N.M. Sanderson, B. Guo, A.E. Jacob, P.S. Handley, J.G. Cunniffe and M.N. Jones (UK) 207

Characterisation of the dystrophin-related protein utrophin in highly purified skeletal muscle sarcolemma vesicles
K. Ohlendieck (Ireland) 215

Two kinetically-distinct components of UDP-glucuronic acid transport in rat liver endoplasmic reticulum
E. Battaglia, S. Nowell, R.R. Drake, M. Mizeracka, C.L. Berg, J. Magdalou, S. Fournel-Gigleux, J.L. Gollan, R. Lester and A. Radominska (France, USA) 223

Cholesterol modulates organic cation transport activity and lipid fluidity in rat renal brush-border membranes
T. Nabekura, M. Takano and K.-i. Inui (Japan) 232

Cumulative Contents, Vol. 1283 237

Author index 239